

CVC Guidewire Products

Precise, rigid, and flexible.





Coil Type Guide Wire Construction






Illustration of Standard Guide Wire Sizes



COIL TYPE			
O.D. LENGTH	.038"	.035"	.032"
45 cm	• Surface¹: SS	• Surface¹: SS	• Surface ¹ : SS
	• Tip²: S, J	• Tip²: S, J	• Tip ² : S, J
60 cm	• Surface ¹ : SS	• Surface ¹ : SS	• Surface ¹ : SS
	• Tip ² : S, J	• Tip ² : S, J	• Tip ² : S, J
75 cm	• Surface ¹ : SS	• Surface ¹ : SS	• Surface ¹ : SS
	• Tip ² : S, J	• Tip ² : S, J	• Tip ² : S, J

Note 1. - SURFACE MATERIAL

SS: Stainless steel PTFE: PTFE coated

H: Hydrophilic

Note 2. - DISTAL TIP SHAPE

S: Straight
J: J-curve
A: Angled




Design options --



Coil Type Guide Wire

- Various sizes and designs:
 - □ OD: .038" .035" .032" .020" .018" .014"
 - Coil: bare stainless steel or PTFE coated
 - Core Wire: stainless steel or Nitinol
 - Tip shape: straight, angled, J curve
 - □ Tip flexibility: stiff, soft
- Packaging options:
 - Bulk in plastic bag
 - In dispenser
 - Individual sterile pouch











Every "KT" Guide Wire is **100% made in Taiwan**, from the raw material to the final assembly and sterilization, in the ISO 13485 and GMP certified facilities. The quality control measures and product traceability are strictly carried out through the entire process flow to guarantee the highest quality for critical medical needs.







- •"KT" Guide Wire is a TFDA registered medical device.
- ** "KT" Guide Wire is expected to receive FDA 510k clearance in 2021 (under application now).

